


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

attribute data structure nodes "composite signals" -2

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)
**Scholar** Results 1 - 10 of 10 for attribute data structure nodes "composite signals" -2007 -2006 -2005 -2004 -2002 -2001 -2000. (0.09 seconds)

**All Results**
[S Minzer](#)
[K Etemad](#)
[D Spears](#)
[J Bergé](#)
[R Chellappa](#)
**New directions in signaling for broadband ISDN - all 3 versions »**

SE Minzer, DR Spears - Communications Magazine, IEEE, 1989 - [ieeexplore.ieee.org](#)  
 ... is used between network nodes or central ... Hybrid structures could carry signaling either over a D ... applications, including video telephony, data, and distributive ...  
 Cited by 29 - [Related Articles](#) - [Web Search](#)

**The Truga001: a scalable rendering processor - all 5 versions »**

T Ikeda, J Ma - Computer Graphics and Applications, IEEE, 1998 - [ieeexplore.ieee.org](#)  
 ... 4. These hardware modules have an intercon- nection network with an MIMD structure. ...  
 4, the RISC core first loads the coordinates and attributes of the ... Data bus ...  
 Cited by 15 - [Related Articles](#) - [Web Search](#)

**Separability-based multiscale basis selection and featureextraction for signal and image ... - all 4 versions »**

K Etemad, R Chellappa, HNS Inc, MD Germantown - Image Processing, IEEE Transactions on, 1998 - [ieeexplore.ieee.org](#)  
 ... a set of multiscale classification attributes that posses ... and their tests are based on synthetic data. ... any specific structure like the wavelet tree structure. ...  
 Cited by 29 - [Related Articles](#) - [Web Search](#) - [Library Search](#)

**[BOOK] VHDL Designer's Reference - all 2 versions »**

JM Bergé - 1992 - [books.google.com](#)  
 ... Library of Congress Cataloging-in-Publication Data des i gner ... à ("ordinateur ; ànos parents, àqui nous devons structure et comportement ... Signal Attributes 51 ...  
 Cited by 32 - [Related Articles](#) - [Web Search](#) - [Library Search](#)

**[PDF] Debug Cycle Time Reduction through Speeding Up VHDL Simulation Process**

T Ahn, K Choi, S Park - [poppy.snu.ac.kr](#)  
 ... are changed by the events on the signals to which such attributes are given ... To simulate a design, its intermediate form is converted to a data structure and/or ...  
 Cited by 2 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**A tutorial on multisensor integration and fusion**

RC Luo, MG Kay - Industrial Electronics Society, 1990. IECON'90., 16th Annual ..., 1990 - [ieeexplore.ieee.org](#)  
 ... registration problem is termed the correspondence and data association problem in ... programming paradigm and the distributed blackboard control structure are two ...  
 Cited by 11 - [Related Articles](#) - [Web Search](#)

**[PDF] Alecsis - all 2 versions »**

DB Glozić, ŽM Mrčarić, DM Maksimović, TR Ilić, ... - [venus.elfak.ni.ac.yu](#)  
 ... The data structures created by the compiler are used by the control agent. ... node is across ... change to different values, using predefined signal attribute ...  
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

**[BOOK] Multisensor Integration and Fusion for Intelligent Machines and Systems - all 2 versions »**

RC Luo, MG Kay - 1995 - [books.google.com](#)  
 ... data may render the fused data useless, or ... registration, spatial and temporal attributes can be ... paradigms, frameworks, and control structures for integration ...  
 Cited by 74 - [Related Articles](#) - [Web Search](#) - [Library Search](#)

**Programmable audio mixer - all 2 versions »**

D Scordo - US Patent 4,558,180, 1985 - [Google Patents](#)  
 ... 10, 1985 Sheet 3 of63 4,558,180 TO DATA TERMINALS FI G. 3 CROSS CONNECT FRAME FORMAT  
 RAIL A ... YPUT CIRCUI DATA VIDEO LATCH LATCH CONTROL j W DATA MEMORY T/II03 ...  
 Cited by 4 - [Related Articles](#) - [Web Search](#)

[book] Architecture, Language and Meaning: The Origins of the Built World and Its Semiotic Organization

D Preziosi - 1979 - books.google.com

... me to begin putting in order the accumulation of notes and data begun several ... in the hope of specifying the nature of architectural 'deep structure' or of ...

Cited by 14 - Related Articles - Web Search - Library Search

---

attribute data structure nodes "composi"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

composite signal attribute data structure "nodes" -20

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

 Scholar All articles - [Recent articles](#) Results 11 - 20 of about 2,720 for composite signal attribute data structure "nodes" -2007 -2006 -2005 -2004 -2002 -2001 -2000. (0.10 seconds)

**All Results**
[S Chakravarthy](#)
[D Peugeot](#)
[G Ahanger](#)
[S Sarkar](#)
[R Havekost](#)
**[Configurable composite data frame - all 2 versions »](#)**

S Bernstein, M Jurkevich - US Patent 5,247,516, 1993 - Google Patents

 ... relatively few network **attributes** which apply to that ... component, such as in an X.25 data network or a pure The terminology: "composite data frame" or "com- ...

 Cited by 57 - [Related Articles](#) - [Web Search](#)
**[Lockless concurrent B-tree index meta access method for cached nodes - all 2 versions »](#)**

RL Deran - US Patent 5,283,894, 1994 - Google Patents

 ... as long as the person has only one "composite keys", hereafter ... The information signal providing ... an **attribute** and a value of said **attribute** arranged SUMMARY OF ...

 Cited by 27 - [Related Articles](#) - [Web Search](#)
**[3d-Gis for Urban Purposes - all 4 versions »](#)**

A Königer, S Bartel - Geoinformatica, 1998 - Springer

 ... It describes how **composite** objects of one level are ... or side-marker, pavement, lantern and signal nadirs. ... For access management of thematical **attributes** an own ...

 Cited by 21 - [Related Articles](#) - [Web Search](#)
**[\[PS\] Data Structures for Spatial Database Systems - all 5 versions »](#)**

O Procopiuc - ResearchIndex-The NECI Scientific Literature Digital Library, 1997 - cs.duke.edu

 ... is chosen (or, equivalently, a different **attribute** value is ... As a result, all **data** points are stored in the ... The **structure** performs best when the **nodes** are known a ...

 Cited by 4 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
**[Multiple score language processing system - all 5 versions »](#)**

KY Su, JS Chang, JN Wang, MH Su - US Patent 5,418,717, 1995 - Google Patents

 ... sentence is identified, and their actions and **attributes** ... are represented (eg, by a "tree" data structure having ... on the basis of **composite** scores, generated at ...

 Cited by 82 - [Related Articles](#) - [Web Search](#)
**[\[POC\] Frequency, conceptual structure and pattern recognition](#)**

JG Wolff - British Journal of Psychology, 1976 - cognitionresearch.org.uk

 ... Every time two elements are joined to form a new **composite** element then a ... one a trace or record is left of the **attribute** from which the **signal** originated ...

 Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
**[Akrti: a system for drawing data structure](#)**

GM Radack, T Desai - Languages for Automation: Symbiotic and Intelligent Robots, ..., 1988 - ieeexplore.ieee.org

 ... Cnti-C. At this point a **signal** handler takes over ... may be combined together to form **composite** figure elements ... The user may control **attributes** such as color, and ...

 Cited by 3 - [Related Articles](#) - [Web Search](#)
**[An interface between VHDL and EDIF - all 3 versions »](#)**

M Shahdad - Proceedings of the 24th ACM/IEEE conference on Design ..., 1987 - portal.acm.org

 ... The VHDL **signal** assignment statement has sufficient ... translated into a VHDL **composite** object that ... mutual exclusion of shared objects, **attributes** (and constants ...

 Cited by 3 - [Related Articles](#) - [Web Search](#)
**[A New Approach For The Optical Feed Of Radio Nodes Utilizing A Microchip Solid State Laser - all 3 versions »](#)**

AJC Vieira, PR Herczfeld, T Berceli, VM Contarino - Microwave Conference and Exhibition, 27th European, 1997 - ieeexplore.ieee.org


 ... The **attributes** of the central station using a mode-locked ... Then this **composite** beam is transmitted via a fiber to ... There is no need for any **signal** processing at ...

 Cited by 3 - [Related Articles](#) - [Web Search](#)
**[Process control system using standard protocol control of standard devices and nonstandard devices - all 6 versions »](#)**

M Nixon, RB Havekost, LO Jundi, D Stevenson, MG ... - US Patent 5,828,851, 1998 - Google Patents

 ... These function blocks are denned to create control **structures** for all types of devices.

1 36 134 ... r &gt; ^" Z / U ZZU ^ ^ 260 L r LOCAL DATA BAS E 1 1^ 1^ IT ...

 Cited by 40 - [Related Articles](#) - [Web Search](#)

 Result Page: [Previous](#) 1 2 3 4 5 6 7 8 9 10 11 [Next](#)

composite signal attribute data structure

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

composite signal attribute data structure "nodes" -20

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)
**Scholar** All articles - [Recent articles](#) Results 1 - 10 of about 2,720 for [composite signal attribute data structure "nodes" -2007 -2006 -2005 -2004 -2002 -2001 -2000](#). (0.05 seconds)

**All Results**
[S Chakravarthy](#)
[D Peuquet](#)
[G Ahanger](#)
[S Sarkar](#)
[R Havekost](#)
[A spatial data model design for feature-based geographical information systems](#)
[- all 2 versions »](#)

 AY Tang, TM Adams, EL usery - International Journal of Geographical Information Science, 1996  
 - [informaworld.com](#)

 ... A city, for example, is a **composite** feature that ... These activities **signal** a trend and evolution in ... Non-spatial **attribute data** are characteristics of the feature ...

 Cited by 71 - [Related Articles](#) - [Web Search](#)
[... operations on design data including retrieve entity-set, send, receive, signal, when, reference to ... - all 2 versions »](#)

CW Bachman, CP Gane, DA Krieger, JT Micco, I ... - US Patent 5,193,182, 1993 - Google Patents

 ... [11] Patent Number: [45] Date of Patent: [54] **COMPUTERSYSTEMFORDEFINING LOGICAL OPERATIONS ON DESIGN DATA INCLUDING RETRIEVE ENTITY-SET, SEND, RECEIVE, SIGNAL** ...

 Cited by 24 - [Related Articles](#) - [Web Search](#)
[Trends in computer-aided process modeling - all 8 versions »](#)

W Marquardt - Computers and Chemical Engineering, 1996 - Elsevier

 ... According to this theory, major **attributes** of a ... **setting** is employed, since any **signal** con- nection is ... **Composite** devices and connections are aggrega- tions of ...

 Cited by 74 - [Related Articles](#) - [Web Search](#)
[\[PDF\] SUPPORTING WORKFLOW USING THE OPEN HYPERMEDIA APPROACH](#)

W Wang, JM Haake - 2 Applications 2-Work Support 11 - cs.aue.auc.dk

 ... To make this possible, **composite nodes** (implemented either ... **be activated**; it will **signal** its completion ... retrieved from the corresponding task **node attributes**. ...

 Cited by 14 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
[An architecture and a data model for integrated multimedia documents and presentational applications - all 2 versions »](#)

H Khalfallah, A Karmouch - Multimedia Systems, 1995 - Springer

 ... 3.2.4 Presentation activity of **composite** information objects ... after a time delay di, sending a "stop" **signal** to r ... 8. The list of **attributes** of O is defined by: ...

 Cited by 23 - [Related Articles](#) - [Web Search](#)
[A conceptual framework and comparison of spatial data models - all 2 versions »](#)

DJ Peuquet - Introductory Readings in Geographic Information Systems, 1990 - books.google.com

 ... has characteristics which describe it called **attribute** or descriptor ... The flag used to **signal** that one of ... is compatible with the array **data structure** built into ...

 Cited by 134 - [Related Articles](#) - [Web Search](#)
[\[PDF\] Implementation Issues on OHS-based Workflow Services - all 10 versions »](#)

W Wang, JM Haake - 5th Workshop on Open Hypermedia Systems, Hypertext - pi6.fernuni-hagen.de

 ... How to decide which **attribute** or method (operation) to ... applications have to be able to **signal** the completion ... 1. A process definition (ie, a **composite node** of a ...

 Cited by 7 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
[Programming DSP systems on multiprocessor architectures](#)

 M Veiga, J Parera, J Santos - Acoustics, Speech, and Signal Processing, 1990. ICASSP-90., ..., 1990 - [ieeexplore.ieee.org](#)

 ... type interchanged between modules are **signal** samples (normally ... char, float, double, etc, and **composite** types of ... the language: the first **attribute** only affects ...

 Cited by 9 - [Related Articles](#) - [Web Search](#)
[Integration, inference, and management of spatial information using Bayesian networks: perceptual ... - all 6 versions »](#)

 S Sarkar, KL Boyer - Pattern Analysis and Machine Intelligence, IEEE Transactions ..., 1993 - [ieeexplore.ieee.org](#)

 ... multiple organizations and form a **composite** organization by ... The authors are with the **Signal Analysis** and ... by its line of symmetry with associated **attributes**. ...

 Cited by 99 - [Related Articles](#) - [Web Search](#)
[\[PS\] Primitive and Composite Events in NAOS - all 3 versions »](#)

 C Collet, T Coupaye - Actes des 12i emes Journ ees Bases de Donn ees Avanc ees ..., 1996 - [www-lsr.imag.fr](#)

 ... be "instanciated" when presenting primitive and **composite** events in ... Let us assume the update of the **attribute** ... Employee instances, then we may **signal** at least ...

 Cited by 17 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Go

 Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

composite signal attribute data structure

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

composite signal attribute data structure "nodes" -20

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)
**Scholar** All articles - **Recent articles** Results 1 - 10 of about 2,720 for **composite signal attribute data structure "nodes" -2007 -2006 -2005 -2004 -2002 -2001 -2000**. (0.34 seconds)

**All Results**
[S Chakravarthy](#)
[D Peuquet](#)
[G Ahanger](#)
[S Sarkar](#)
[R Havekost](#)

**[A spatial data model design for feature-based geographical information systems](#)**  
 - all 2 versions »

AY Tang, TM Adams, EL usery - International Journal of Geographical Information Science, 1996  
 : informaworld.com

... A city, for example, is a **composite** feature that ... These activities **signal** a trend and evolution in ... **Non-spatial attribute data** are characteristics of the feature ...

[Cited by 71](#) - [Related Articles](#) - [Web Search](#)

**[... operations on design data including retrieve entity-set, send, receive, signal, when, reference to ...](#)** - all 2 versions »

CW Bachman, CP Gane, DA Krieger, JT Micco, I ... - US Patent 5,193,182, 1993 - Google Patents

... [11] Patent Number: [45] Date of Patent: [54] **COMPUTERSYSTEMFORDEFINING LOGICAL OPERATIONS ON DESIGN DATA INCLUDING RETRIEVE ENTITY-SET, SEND, RECEIVE, SIGNAL, ...**

[Cited by 24](#) - [Related Articles](#) - [Web Search](#)

**[Trends in computer-aided process modeling](#)** - all 8 versions »

W Marquardt - Computers and Chemical Engineering, 1996 - Elsevier

... According to this theory, major **attributes** of a ... setting is employed, since any **signal** connection is ... **Composite** devices and connections are aggrega- tions of ...

[Cited by 74](#) - [Related Articles](#) - [Web Search](#)

**[SUPPORTING WORKFLOW USING THE OPEN HYPERMEDIA APPROACH](#)**

W Wang, JM Haake - 2 Applications 2-Work Support 11 - cs.aue.auc.dk

... To make this possible, **composite nodes** (implemented either ... be activated; it will **signal** its completion ... retrieved from the corresponding task **node attributes**. ...

[Cited by 14](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**[An architecture and a data model for integrated multimedia documents and presentational applications](#)** - all 2 versions »

H Khalfallah, A Karmouch - Multimedia Systems, 1995 - Springer

... 3.2.4 Presentation activity of **composite** information objects ... after a time delay di, sending a "stop" **signal** to r ... 8. The list of **attributes** of O is defined by: ...

[Cited by 23](#) - [Related Articles](#) - [Web Search](#)

**[A conceptual framework and comparison of spatial data models](#)** - all 2 versions »

DJ Peuquet - Introductory Readings in Geographic Information Systems, 1990 - books.google.com

... has characteristics which describe it called **attribute** or descriptor ... The flag used to **signal** that one of ... is compatible with the array **data structure** built into ...

[Cited by 134](#) - [Related Articles](#) - [Web Search](#)

**[Implementation Issues on OHS-based Workflow Services](#)** - all 10 versions »

W Wang, JM Haake - 5th Workshop on Open Hypermedia Systems, Hypertext - pi6.fernuni-hagen.de

... How to decide which **attribute** or method (operation) to ... applications have to be able to **signal** the completion ... 1. A process definition (ie, a **composite node** of a ...

[Cited by 7](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**[Programming DSP systems on multiprocessor architectures](#)**

M Veiga, J Parera, J Santos - Acoustics, Speech, and Signal Processing, 1990. ICASSP-90., ..., 1990 - ieeexplore.ieee.org

... type interchanged between modules are **signal** samples (normally ... char, float, double, etc, and **composite** types of ... the language: the first **attribute** only affects ...

[Cited by 9](#) - [Related Articles](#) - [Web Search](#)

**[Integration, inference, and management of spatial information using Bayesian networks: perceptual ...](#)** - all 6 versions »

S Sarkar, KL Boyer - Pattern Analysis and Machine Intelligence, IEEE Transactions ..., 1993 - ieeexplore.ieee.org

... multiple organizations and form a **composite** organization by ... The authors are with the **Signal Analysis** and ... by its line of symmetry with associated **attributes**. ...

[Cited by 99](#) - [Related Articles](#) - [Web Search](#)

**[Primitive and Composite Events in NAOS](#)** - all 3 versions »

C Collet, T Coupaye - Actes des 12i emes Journ ees Bases de Donn ees Avanc ees ..., 1996 - www-lsr.imag.fr

... be "instanciated" when presenting primitive and **composite** events in ... Let us assume the update of the **attribute** ... Employee instances, then we may **signal** at least ...

[Cited by 17](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

composite signal attribute data structure

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google